Quality Report

Important: Click on the different icons for:
 Help to analyze the results in the Quality Report
 Additional information about the sections

Click here for additional tips to analyze the Quality Report

Summary

Project	MDEA 191223
Processed	2023-12-19 15:35:45
Camera Model Name(s)	M3E_12.3_5280x3956 (RGB)
Average Ground Sampling Distance (GSD)	1.97 cm / 0.78 in
Area Covered	0.272 km ² / 27.2150 ha / 0.11 sq. mi. / 67.2846 acres
Time for Initial Processing (without report)	44m:30s

Quality Check

Images	median of 78470 keypoints per image	0
⑦ Dataset	595 out of 595 images calibrated (100%), all images enabled, 2 blocks	
Camera Optimization	0.04% relative difference between initial and optimized internal camera parameters	0
Matching	median of 27358.8 matches per calibrated image	0
② Georeferencing	yes, no 3D GCP	Δ

🥐 Preview



Figure 1: Orthomosaic and the corresponding sparse Digital Surface Model (DSM) before densification.

Generated with PIX4Dmapper version 4.8.4

1

6

Calibration Details

Number of Calibrated Images	595 out of 595
Number of Geolocated Images	595 out of 595

Initial Image Positions



Figure 2: Top view of the initial image position. The green line follows the position of the images in time starting from the large blue dot.

Ocmputed Image/GCPs/Manual Tie Points Positions

6

6



Uncertainty ellipses 100x magnified

Figure 3: Offset between initial (blue dots) and computed (green dots) image positions as well as the offset between the GCPs initial positions (blue crosses) and their computed positions (green crosses) in the top-view (XY plane), front-view (XZ plane), and side-view (YZ plane). Dark green ellipses indicate the absolute position uncertainty of the bundle block adjustment result.

Obsolute camera position and orientation uncertainties

 X[m]
 Y[m]
 Z[m]
 Omega [degree]
 Phi [degree]
 Kappa [degree]

 Mean
 0.058
 0.057
 0.136
 0.039
 0.042
 0.023



Figure 4: Number of overlapping images computed for each pixel of the orthomosaic. Red and yellow areas indicate low overlap for which poor results may be generated. Green areas indicate an overlap of over 5 images for every pixel. Good quality results will be generated as long as the number of keypoint matches is also sufficient for these areas (see Figure 5 for keypoint matches).

Bundle Block Adjustment Details

Number of 2D Keypoint Observations for Bundle Block Adjustment	15278587
Number of 3D Points for Bundle Block Adjustment	4350391
Mean Reprojection Error [pixels]	0.134

Internal Camera Parameters

⊖ M3E_12.3_5280x3956 (RGB). Sensor Dimensions: 17.424 [mm] x 13.055 [mm]

EXIF ID: M3E_12.3_5280x3956

	Focal Length	Principal Point x	Principal Point y	R1	R2	R3	T1	T2
Initial Values	3720.980 [pixel] 12.279 [mm]	2644.890 [pixel] 8.728 [mm]	1967.940 [pixel] 6.494 [mm]	-0.111	0.012	-0.027	-0.000	-0.000
Optimized Values	3722.664 [pixel] 12.285 [mm]	2663.122 [pixel] 8.788 [mm]	1943.832 [pixel] 6.415 [mm]	-0.109	0.004	-0.021	-0.000	-0.000
Uncertainties (Sigma)	0.776 [pixel] 0.003 [mm]	0.079 [pixel] 0.000 [mm]	0.277 [pixel] 0.001 [mm]	0.000	0.000	0.000	0.000	0.000

0



The correlation between camera internal parameters determined by the bundle adjustment. White indicates a full correlation between the parameters, ie. any change in one can be fully compensated by the other. Black indicates that the parameter is completely independent, and is not affected by other parameters.

The number of Automatic Tie Points (ATPs) per pixel, averaged over all images of the camera model, is color coded between black and white. White indicates that, on average, more than 16 ATPs have been extracted at the pixel location. Black indicates that, on average, 0 ATPs have been extracted at the pixel location. Click on the image to the see the average direction and magnitude of the reprojection error for each pixel. Note that the vectors are scaled for better visualization. The scale bar indicates the magnitude of 1 pixel error.

2D Keypoints Table

	Number of 2D Keypoints per Image	Number of Matched 2D Keypoints per Image
Median	78470	27359
Min	54508	56
Max	86160	48396
Mean	77255	25678

3D Points from 2D Keypoint Matches

	Number of 3D Points Observed
In 2 Images	2209350
In 3 Images	840877
In 4 Images	437879
In 5 Images	259679
In 6 Images	167807
In 7 Images	113492
In 8 Images	81808
In 9 Images	59997
In 10 Images	45042
In 11 Images	34081
In 12 Images	26196
In 13 Images	19825
In 14 Images	14964
In 15 Images	10976
In 16 Images	8255
In 17 Images	6090
In 18 Images	4191
In 19 Images	2983
In 20 Images	2157
In 21 Images	1467
In 22 Images	1011

6

In 23 Images	759
In 24 Images	508
In 25 Images	357
In 26 Images	236
In 27 Images	146
In 28 Images	115
In 29 Images	72
In 30 Images	28
In 31 Images	17
In 32 Images	12
In 33 Images	7
In 34 Images	6
In 38 Images	1

2D Keypoint Matches





Figure 5: Computed image positions with links between matched images. The darkness of the links indicates the number of matched 2D keypoints between the images. Bright links indicate weak links and require manual tie points or more images. Dark green ellipses indicate the relative camera position uncertainty of the bundle block adjustment result.

Relative camera position and orientation uncertainties

	X[m]	Y[m]	Z[m]	Omega [degree]	Phi [degree]	Kappa [degree]
Mean	0.009	0.008	0.012	0.010	0.008	0.005
Sigma	0.018	0.009	0.010	0.013	0.011	0.013

Geolocation Details

Absolute Geolocation Variance

Min Error [m]	Max Error [m]	Geolocation Error X[%]	Geolocation Error Y [%]	Geolocation Error Z [%]
-	-5.83	0.00	0.00	0.00
-5.83	-4.67	0.00	0.00	0.00
-4.67	-3.50	0.00	0.00	0.00
-3.50	-2.33	0.00	0.00	0.00
-2.33	-1.17	0.00	0.00	7.41
-1.17	0.00	49.24	50.19	39.54
0.00	1.17	50.76	49.81	52.47
1.17	2.33	0.00	0.00	0.57
2.33	3.50	0.00	0.00	0.00
3.50	4.67	0.00	0.00	0.00
4.67	5.83	0.00	0.00	0.00
5.83	-	0.00	0.00	0.00
Mean [m]		-0.004285	-0.011247	-0.008803
Sigma [m]		0.214892	0.379863	0.653233
RMS Error [m]		0.214934	0.380030	0.653292

Min Error and Max Error represent geolocation error intervals between -1.5 and 1.5 times the maximum accuracy of all the images. Columns X, Y, Z show the percentage of images with geolocation errors within the predefined error intervals. The geolocation error is the difference between the initial and computed image positions. Note that the image geolocation errors do not correspond to the accuracy of the observed 3D points.

6

 \bigcirc

Relative Geolocation Error	Images X[%]	Images Y [%]	Images Z [%]
[-1.00, 1.00]	100.00	100.00	100.00
[-2.00, 2.00]	100.00	100.00	100.00
[-3.00, 3.00]	100.00	100.00	100.00
Mean of Geolocation Accuracy [m]	1.663602	1.663602	3.638960
Sigma of Geolocation Accuracy [m]	0.046577	0.046577	0.086955

Images X, Y, Z represent the percentage of images with a relative geolocation error in X, Y, Z.

Geolocation Orientational Variance	RMS [degree]
Omega	1.924
Phi	1.895
Карра	0.619

Geolocation RMS error of the orientation angles given by the difference between the initial and computed image orientation angles.

Initial Processing Details	1
	•

6

6

0

6

System Information

Hardware	CPU: 11th Gen Intel(R) Core(TM) i7-11800H @ 2.30GHz RAMt 32GB GPU: Intel(R) UHD Graphics (Driver: 31.0.101.4887)
Operating System	Windows 11, 64-bit

Coordinate Systems

Image Coordinate System	WGS 84
Output Coordinate System	WGS 84 / UTMzone 14N

Processing Options

Detected Template	B 3D Maps
Keypoints Image Scale	Full, Image Scale: 1
Advanced: Matching Image Pairs	Aerial Grid or Corridor
Advanced: Matching Strategy	Use Geometrically Verified Matching: no
Advanced: Keypoint Extraction	Targeted Number of Keypoints: Automatic
Advanced: Calibration	Calibration Method: Standard Internal Parameters Optimization: All External Parameters Optimization: All Rematch: Auto, no

Point Cloud Densification details

Processing Options

Image Scale	multiscale, 1/2 (Half image size, Default)
Point Density	Optimal
Mnimum Number of Matches	3
3D Textured Mesh Generation	yes
3D Textured Mesh Settings:	Resolution: Medium Resolution (default) Color Balancing: no
LOD	Generated: no
Advanced: 3D Textured Mesh Settings	Sample Density Divider: 1
Advanced: Image Groups	group1

Advanced: Use Processing Area	yes
Advanced: Use Annotations	yes
Time for Point Cloud Densification	53m:42s
Time for Point Cloud Classification	NA
Time for 3D Textured Mesh Generation	11m:29s

Results

Number of Processed Clusters	2
Number of Generated Tiles	8
Number of 3D Densified Points	61250870
Average Density (per m ³)	221.58

DSM, Orthomosaic and Index Details

Processing Options

DSM and Orthomosaic Resolution	1 x GSD (1.97 [cm/pixel])
DSMFilters	Noise Filtering: yes Surface Smoothing: yes, Type: Sharp
Raster DSM	Generated: yes Method: Inverse Distance Weighting Merge Tiles: yes
Orthomosaic	Generated: yes Merge Tiles: yes GeoTIFF Without Transparency: no Google Maps Tiles and KML: no
Time for DSM Generation	27m:53s
Time for Orthomosaic Generation	01h:20m:18s
Time for DTM Generation	00s
Time for Contour Lines Generation	00s
Time for Reflectance Map Generation	00s
Time for Index Map Generation	00s

0

(